


Technische Daten

Solarspeicher

Type Sunbag 300 - 400 - 500 ERMR

Kundendienst:




Type	Abmessungen in mm											Rohrregister oben Inhalt/Fläche	Rohrregister unten Inhalt/Fläche	Gewicht kg	Bereitschaftsenergieverbrauch kWh/24h
	A	B	C	D	E	F	G	H	J	K	L				
300 ERMR	1809	878	325	670	893	1015	1195	1375	1514	780	379	5,9/0,93	9,1/1,40	182	1,91
400 ERMR	1838	958	360	750	932	1080	1260	1440	1534	815	414	5,9/0,93	11,7/1,81	248	2,38
500 ERMR	1820	998	415	790	988	1130	1265	1400	1500	870	469	6,3/0,96	12,8/1,95	266	2,43

Technical data

Solar tank

Type Sunbag 300 - 400 - 500 ERMR

Customer service:




Type	Dimensions in mm											register above volume/surface	register down volume/surface	weight kg	energy consumption kWh/24h
	A	B	C	D	E	F	G	H	J	K	L				
300 ERMR	1809	878	325	670	893	1015	1195	1375	1514	780	379	5,9/0,93	9,1/1,40	182	1,91
400 ERMR	1838	958	360	750	932	1080	1260	1440	1534	815	414	5,9/0,93	11,7/1,81	248	2,38
500 ERMR	1820	998	415	790	988	1130	1265	1400	1500	870	469	6,3/0,96	12,8/1,95	266	2,43

Caractéristiques techniques

Ballon d'eau chaude solaire

Type Sunbag 300 - 400 - 500 ERMR

Service après-vente:




Type	Dimensions en mm											Registre en heut volume/Surface	Registre vers le bas volume/Surface	Poids kg	consommati- on d'énergie kWh/24h
	A	B	C	D	E	F	G	H	J	K	L				
300 ERMR	1809	878	325	670	893	1015	1195	1375	1514	780	379	5,9/0,93	9,1/1,40	182	1,91
400 ERMR	1838	958	360	750	932	1080	1260	1440	1534	815	414	5,9/0,93	11,7/1,81	248	2,38
500 ERMR	1820	998	415	790	988	1130	1265	1400	1500	870	469	6,3/0,96	12,8/1,95	266	2,43

Dati tecnici

Bollitore Solar

Type Sunbag 300 - 400 - 500 ERMR

Assistenza clienti:




Type	Dimensioni in mm											Registro sopra volume/Superficie	Registro giù volume/Superficie	Peso kg	consumo di energia kWh/24h
	A	B	C	D	E	F	G	H	J	K	L				
300 ERMR	1809	878	325	670	893	1015	1195	1375	1514	780	379	5,9/0,93	9,1/1,40	182	1,91
400 ERMR	1838	958	360	750	932	1080	1260	1440	1534	815	414	5,9/0,93	11,7/1,81	248	2,38
500 ERMR	1820	998	415	790	988	1130	1265	1400	1500	870	469	6,3/0,96	12,8/1,95	266	2,43

Datos técnicos

Termo solar

Type Sunbag 300 - 400 - 500 ERMR

Servicio al cliente:




Type	Dimensiones en mm											Registro sobre volumen/Superficie	Registro abajo volumen/Superficie	Peso kg	consumo de energía kWh/24h
	A	B	C	D	E	F	G	H	J	K	L				
300 ERMR	1809	878	325	670	893	1015	1195	1375	1514	780	379	5,9/0,93	9,1/1,40	182	1,91
400 ERMR	1838	958	360	750	932	1080	1260	1440	1534	815	414	5,9/0,93	11,7/1,81	248	2,38
500 ERMR	1820	998	415	790	988	1130	1265	1400	1500	870	469	6,3/0,96	12,8/1,95	266	2,43

Dados técnicos

Reservatório solar

Type Sunbag 300 - 400 - 500 ERMR

Assistência aos clientes:



Type	Dimensões em mm											Registo acima volume/Superfície	Registo para baixo volume/Superfície	Peso kg	consumo de energia kWh/24h
	A	B	C	D	E	F	G	H	J	K	L				
300 ERMR	1809	878	325	670	893	1015	1195	1375	1514	780	379	5,9/0,93	9,1/1,40	182	1,91
400 ERMR	1838	958	360	750	932	1080	1260	1440	1534	815	414	5,9/0,93	11,7/1,81	248	2,38
500 ERMR	1820	998	415	790	988	1130	1265	1400	1500	870	469	6,3/0,96	12,8/1,95	266	2,43